Nottinghamshire Police and Crime Commissioner – Notice of Decision

AUTHOR:	Roy Towler (Commercial Manager: BlueLight Commercial)
TELEPHONE NUMBER:	07929 726422
EMAIL ADDRESS:	Roy.towler@bluelight.police.uk
DECISION OR INFORMATION:	Decision
DATE RECEIVED:*	19/10/2021
REF:* (to be inserted by the OPCC)	2021.105

TITLE:	Supply and fitting of the Smartscan lighting system at Mansfield Police Station.

EXECUTIVE SUMMARY:

The purpose of this report is to recommend approval of the purchase of Thorlux Smartscan lighting systems for Mansfield Police Station.

The current Thorlux lighting network (installed when Mansfield was a new build in 1999) was first recommended for full replacement in 2017 following a condition survey report.

Thorlux lighting systems are available via direct award from the ETL lighting framework: this framework was established within the NHS and is open to all public bodies to access. This provides a compliant route to market from a UK Contract Regulations perspective.

INFORMATION IN SUPPORT OF DECISION: (eg report or business case)

The Thorlux Smartscan light fitting is a product that provides longevity, smart monitoring of performance and sustainability. Each individual Thorlux fitting operates independently, thus providing the maximum energy efficiency across the whole installation network.

The fittings are also classed as fully maintained lights, which means that replacement parts, if needed, can be installed and prevents the need for the entire light to be disposed of: an historical problem of old design lighting fittings. This has a major improvement on efficiency and the reduction of waste.

As the fittings are linked via a hub, then energy performance data and reporting is provided to allow energy savings and efficiencies to be pursued. Additional functionality and controls such as time settings are all capable remotely via mobile tablet etc.

FINANCIAL INFORMATION

Unit Price/Component Breakdown:

Product Description	Total
Smartscan Light Fittings & associated accessories and components	£254,665.97
Interfacing Costs	£5,953.20

** See guidance on non-public information

Nottinghamshire Police and Crime Commissioner – Notice of Decision

Web Server Configuration	£6,200.00	
Installation Costs	£134,349.60	
Annual Total	**£401,168.77**	

Signature: Chief Finance Officer	
Date:	19.10.21

Is any of the supporting information classified as non-public or confidential information?**	Yes	☐	No	☒
If yes, please state under which category from the guidance**				

DECISION:

To approve the purchase of Thorlux Smartscan Lighting for Mansfield Police Station.

OFFICER APPROVAL:

I have been consulted about the proposal and confirm that the appropriate advice has been taken into account in the preparation of this report. I am satisfied that this is an appropriate request to be submitted to the Police and Crime Commissioner.

Signature: Chief Executive	
Date:	21/10/21

DECLARATION:

I confirm that I do not have any disclosable pecuniary interests in this decision and I take the decision in compliance with the Code of Conduct for the Nottinghamshire Office of the Police and Crime Commissioner. Any interests are indicated below:

The above request has my approval

Signature: Nottinghamshire Police & Crime Commissioner	
Date:	21/10/21

** See guidance on non-public information